



## ANK HYGIENE&MEDICAL CARE PRODUCT CO.,LTD


Add: 1118, Building 19, Taihe Center, Fengze District. Quanzhou City  
Fujian Province-China

Email: [info@ank-ilumer.com](mailto:info@ank-ilumer.com)

Website: [www.ank-ilumer.com/es/medical](http://www.ank-ilumer.com/es/medical)



## ORTHOPEDICS CATALOG INTRAMEDULLARY NAIL PRODUCTS




ANK HYGIENE&MEDICAL CARE PRODUCT CO.,LTD



# FROM CHINA TO THE WORLD

23580m<sup>2</sup>



We imported these machines from Japan and Germany. The packages of implants was conducted in the clean workshop in line with GMP CLEAN CLASS 100,000 plant. Based on our advanced machines and processing technology. We assure you that our products quality is stable and reliable.


## High quality products Approved certificates

CE & ISO



## Our factory

## INTRAMEDULLARY NAIL PRODUCTS CONTENTS



- 01 Tibial Lockable Intramedullary Nail
- 07 Femoral Lockable Intramedullary Nail
- 17 Humeral Lockable Intramedullary Nail
- 23 PFNA
- 25 Antegrade Intertrochanteric Intramedullary Nail
- 28 Elastic Nail
- 29 Nail removal Instrument Set
- 31 Basic tools for Intramedullary Nail
- 32 Power Tool for N Series
- 34 Power Tool for M Series
- 36 Power tools for Micro series
- 37 Power Tool for S Series
- 37 Power Tool for E Series
- 38 Power tool Sterilization Box
- 39 Batteries and Saw Blades



## Tibia Lockable Intramedullary Nail



Tibia Lockable Intramedullary Nail  
Material: titanium


| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50201-0824 | 8*240mm       | 50201-1024 | 10*240mm      |
| 50201-0826 | 8*260mm       | 50201-1026 | 10*260mm      |
| 50201-0828 | 8*280mm       | 50201-1028 | 10*280mm      |
| 50201-0830 | 8*300mm       | 50201-1030 | 10*300mm      |
| 50201-0832 | 8*320mm       | 50201-1032 | 10*320mm      |
| 50201-0834 | 8*340mm       | 50201-1034 | 10*340mm      |
| 50201-0924 | 9*240mm       | 50201-1124 | 11*240mm      |
| 50201-0926 | 9*260mm       | 50201-1126 | 11*260mm      |
| 50201-0928 | 9*280mm       | 50201-1128 | 11*280mm      |
| 50201-0930 | 9*300mm       | 50201-1130 | 11*300mm      |
| 50201-0932 | 9*320mm       | 50201-1132 | 11*320mm      |
| 50201-0934 | 9*340mm       | 50201-1134 | 11*340mm      |



Lockable Screws  
Material: titanium

| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50208-4835 | 4.8mm*35mm    | 50208-4865 | 4.8mm*65mm    |
| 50208-4840 | 4.8mm*40mm    | 50208-4870 | 4.8mm*70mm    |
| 50208-4845 | 4.8mm*45mm    | 50208-4875 | 4.8mm*75mm    |
| 50208-4850 | 4.8mm*50mm    | 50208-4880 | 4.8mm*80mm    |
| 50208-4855 | 4.8mm*55mm    | 50208-4885 | 4.8mm*85mm    |
| 50208-4860 | 4.8mm*60mm    | 50208-4890 | 4.8mm*90mm    |

## Instrument set for Tibial Intramedullary Nails



Code: 60220

| No. | Name                                    | Size          | QTY |
|-----|-----------------------------------------|---------------|-----|
| 1   | Opening Awl                             |               | 1   |
| 2   | Reamers                                 | 7/8/9/10/11mm | 5   |
| 3   | Drill Bit With Stopper+ Drill Bit       | 4.0mm         | 2   |
| 4   | Positioning Drill Bit                   | 5.0mm         | 1   |
| 5   | Wrench                                  |               | 1   |
| 6   | T Handle                                |               | 1   |
| 7   | T Handle Drill Bit                      | 5.0mm         | 1   |
| 8   | Depth Gauge                             | 90mm          | 1   |
| 9   | Distal Locking Screwdriver With Threads | SW3.5         | 1   |
| 10  | Positioning Drill Sleeve                |               | 1   |
| 11  | Drill Sleeve                            |               | 1   |
| 12  | Positioning Drill Sleeve                |               | 1   |
| 13  | Cannulated Awl                          |               | 1   |
| 14  | Nail Handle                             |               | 1   |
| 15  | Locking Nut                             |               | 1   |
| 16  | Aiming Arm With Locking Nut             |               | 1   |
| 17  | Aiming Arm                              |               | 1   |
| 18  | L Wrench Hex                            | 5.0mm         | 1   |
| 19  | L Wrench Hex                            | 3.0mm         | 1   |
| 20  | Positioning Rod                         |               | 1   |
| 21  | Olives Guide Wire + Guide Wire          | 3.0*800mm     | 2   |
| 22  | Nail Connection Rod                     |               | 1   |
| 23  | Universal Extractor                     |               | 1   |
| 24  | T Handle Screw Tap                      | 4.8mm         | 1   |
| 25  | T Handle Screwdriver                    | 3.0mm         | 1   |
| 26  | Sliding Hammer                          |               | 1   |
| 27  | T Handle Positioning Rod                |               | 1   |
| 28  | U Block                                 |               | 1   |
| 29  | Long Rod                                |               | 1   |
| 30  | K-Wire                                  | 3.0*400mm     | 2   |
| 31  | Instrument Case                         |               | 1   |



## Multi-Direction Tibial Lockable Intramedullary Nail



Multi-Direction Tibial Lockable Intramedullary Nail  
Material: titanium


| Code        | Specification | Code        | Specification |
|-------------|---------------|-------------|---------------|
| 50201A-0825 | 8*255mm       | 50201A-1025 | 10*255mm      |
| 50201A-0827 | 8*270mm       | 50201A-1027 | 10*270mm      |
| 50201A-0828 | 8*285mm       | 50201A-1028 | 10*285mm      |
| 50201A-0830 | 8*300mm       | 50201A-1030 | 10*300mm      |
| 50201A-0831 | 8*315mm       | 50201A-1031 | 10*315mm      |
| 50201A-0833 | 8*330mm       | 50201A-1033 | 10*330mm      |
| 50201A-0834 | 8*345mm       | 50201A-1034 | 10*345mm      |
| 50201A-0836 | 8*360mm       | 50201A-1036 | 10*360mm      |
| 50201A-0837 | 8*375mm       | 50201A-1037 | 10*375mm      |
| 50201A-0925 | 9*255mm       | 50201A-1125 | 11*255mm      |
| 50201A-0927 | 9*270mm       | 50201A-1127 | 11*270mm      |
| 50201A-0928 | 9*285mm       | 50201A-1128 | 11*285mm      |
| 50201A-0930 | 9*300mm       | 50201A-1130 | 11*300mm      |
| 50201A-0931 | 9*315mm       | 50201A-1131 | 11*315mm      |
| 50201A-0933 | 9*330mm       | 50201A-1133 | 11*330mm      |
| 50201A-0934 | 9*345mm       | 50201A-1134 | 11*345mm      |
| 50201A-0936 | 9*360mm       | 50201A-1136 | 11*360mm      |
| 50201A-0937 | 9*375mm       | 50201A-1137 | 11*375mm      |



Tornillos bloqueables  
Material: titanium

| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50208-4835 | 4.8*35mm      | 50208-4865 | 4.8*65mm      |
| 50208-4840 | 4.8*40mm      | 50208-4870 | 4.8*70mm      |
| 50208-4845 | 4.8*45mm      | 50208-4875 | 4.8*75mm      |
| 50208-4850 | 4.8*50mm      | 50208-4880 | 4.8*80mm      |
| 50208-4855 | 4.8*55mm      | 50208-4885 | 4.8*85mm      |
| 50208-4860 | 4.8*60mm      | 50208-4890 | 4.8*90mm      |

## Instrument Set for New Type Tibial Intramedullary Nails



Code: 60222

| No. | Name                                             | Size           | QTY |
|-----|--------------------------------------------------|----------------|-----|
| 1   | Soft Tissue Protector                            |                | 1   |
| 2   | Opening Awl                                      |                | 1   |
| 3   | Canal Rod                                        |                | 1   |
| 4   | Flexible Reamers                                 | 8/9/10/11/12mm | 5   |
| 5   | Inner Ruler                                      | 255-375mm      | 1   |
| 6   | Radiographic Ruler                               | 255-375mm      | 1   |
| 7   | K-Wire Crimper                                   |                | 1   |
| 8   | Reamers                                          | 8/9/10/11/12mm | 5   |
| 9   | Drill Bit with Stopper                           | 4.0mm          | 2   |
| 10  | Opening Reamer                                   | 12mm           | 1   |
| 11  | T Handle                                         |                | 1   |
| 12  | Positioning Drill Bit                            | 5mm            | 1   |
| 13  | Wrench                                           |                | 1   |
| 14  | T Handle                                         |                | 1   |
| 15  | Multi-Direction Ball Head Hex Screwdriver        | 6.0mm          | 1   |
| 16  | Depth Gauge                                      | 90mm           | 1   |
| 17  | Threaded Hex Distal Lockable Screw Screwdriver   | SW3.5          | 1   |
| 18  | Multi-Direction Ball Head Hex Screwdriver        | 4.5mm          | 1   |
| 19  | Cannulated Opening Awl                           |                | 1   |
| 20  | Positioning Sleeve                               |                | 1   |
| 21  | Positioning Sleeve                               |                | 1   |
| 22  | Drill Sleeve                                     |                | 1   |
| 23  | Adapter                                          |                | 1   |
| 24  | Distal Support                                   |                | 1   |
| 25  | Sliding Hammer                                   |                | 1   |
| 26  | T Handle Location Rod                            |                | 1   |
| 27  | T Handle Screw Tap With Stopper                  | 4.8mm          | 1   |
| 28  | Driving Cap With Handle Adapter                  |                | 1   |
| 29  | Multi-Axial Extractor                            |                | 1   |
| 30  | Olives guide wire + guide wire                   | 3*800mm        | 2   |
| 31  | K-Wire                                           | 3*500mm        | 1   |
| 32  | Aiming Arm                                       | 30°            | 1   |
| 33  | Aiming Arm                                       | 45°            | 1   |
| 34  | Opening Reamer Sleeve                            | 12mm           | 1   |
| 35  | L Wrench, Ball Head                              | 3.0mm+5.0mm    | 2   |
| 36  | Aiming Arm                                       |                | 1   |
| 37  | Aiming Arm With Locking Nut                      |                | 1   |
| 38  | L Wrench, Hex Head                               | 3mm            | 1   |
| 39  | Positioning Rod                                  | 5mm            | 1   |
| 40  | Locking Nut, For Supports                        |                | 1   |
| 41  | Insertion Handle                                 |                | 1   |
| 42  | Cannulated Connecting Screw For Insertion Handle |                | 1   |
| 43  | U Block                                          |                | 1   |
| 44  | Instrument Case                                  |                | 1   |

## Supra Patellar Tibia Intramedullary Nail



Supra Patellar Tibia Intramedullary Nail  
Material: titanium

| Code        | Specification | Code        | Specification |
|-------------|---------------|-------------|---------------|
| 50201B-0818 | 8*180mm       | 50201B-0930 | 8*300mm       |
| 50201B-0820 | 8*200mm       | 50201B-0932 | 8*320mm       |
| 50201B-0822 | 8*220mm       | 50201B-0934 | 8*340mm       |
| 50201B-0824 | 8*240mm       | 50201B-0936 | 9*360mm       |
| 50201B-0826 | 8*260mm       | 50201B-0938 | 9*380mm       |
| 50201B-0828 | 8*280mm       | 50201B-1018 | 10*180mm      |
| 50201B-0830 | 8*300mm       | 50201B-1020 | 10*200mm      |
| 50201B-0832 | 8*320mm       | 50201B-1022 | 10*220mm      |
| 50201B-0834 | 8*340mm       | 50201B-1024 | 10*240mm      |
| 50201B-0836 | 8*360mm       | 50201B-1026 | 10*260mm      |
| 50201B-0838 | 8*380mm       | 50201B-1028 | 10*280mm      |
| 50201B-0920 | 9*200mm       | 50201B-1030 | 10*300mm      |
| 50201B-0922 | 9*220mm       | 50201B-1032 | 10*320mm      |
| 50201B-0924 | 9*240mm       | 50201B-1034 | 10*340mm      |
| 50201B-0926 | 8*260mm       | 50201B-1036 | 10*360mm      |
| 50201B-0928 | 8*280mm       | 50201B-1038 | 10*380mm      |



Lockable Screws  
Material: titanium

| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50208-4835 | 4.8*35mm      | 50208-4325 | 4.3*25mm      |
| 50208-4840 | 4.8*40mm      | 50208-4330 | 4.3*30mm      |
| 50208-4845 | 4.8*45mm      | 50208-4335 | 4.3*35mm      |
| 50208-4850 | 4.8*50mm      | 50208-4340 | 4.3*40mm      |
| 50208-4855 | 4.8*55mm      | 50208-4345 | 4.3*45mm      |
| 50208-4860 | 4.8*60mm      | 50208-4350 | 4.3*50mm      |
| 50208-4865 | 4.8*65mm      | 50208-4355 | 4.3*55mm      |
| 50208-4870 | 4.8*70mm      | 50208-4360 | 4.3*60mm      |
| 50208-4875 | 4.8*75mm      | 50208-4365 | 4.3*65mm      |
| 50208-4880 | 4.8*80mm      | 50208-4370 | 4.3*70mm      |
| 50208-4885 | 4.8*85mm      | 50208-4375 | 4.3*75mm      |
| 50208-4890 | 4.8*90mm      | 50208-4380 | 4.3*80mm      |



Lockable Screw  
Material: titanium

## Instrument set for Suprapatellar Tibia Intramedullary Nail



Code: 60222A

| No. | Name                                            | Size       | QTY |
|-----|-------------------------------------------------|------------|-----|
| 1   | Drill Sleeve (Inner sleeve)                     | 8.6        | 1   |
| 2   | Drill Sleeve (Inner sleeve)                     | 4          | 1   |
| 3   | Drill Sleeve Inner Core                         | 4          | 1   |
| 4   | End Cap driver                                  | 3.2        | 1   |
| 5   | Proximal support arm                            |            | 1   |
| 6   | Positioning Blocking Nail Positioning Block     |            | 1   |
| 7   | Front and Rear Blocking Nail Positioning Blocks |            | 1   |
| 8   | Drill Sleeve                                    |            | 1   |
| 9   | Drill Sleeve                                    |            | 1   |
| 10  | Drill Sleeve (Inner sleeve)                     |            | 1   |
| 11  | Drill Sleeve (Inner sleeve)                     |            | 1   |
| 12  | Limiter Hexagonal Wrench                        | 10/8.1X120 | 1   |
| 13  | Bone Drill                                      | 10/8.1X121 | 1   |
| 14  | Temporary Positioning Rod                       | 8.6/3.2    | 1   |
| 15  | Depth Gauge                                     | 8.6/3.2    | 1   |
| 16  | T-shaped Hexagonal Screwdriver                  | SW3.0      | 1   |
| 17  | Quick Release Locking Hexagonal Screwdriver     | 4.0X300    | 1   |
| 18  | End Cap Ball Screwdriver                        | 8.1/4.0    | 1   |
| 19  | Distal Guide                                    |            | 1   |
| 20  | Pressure Bolt (Long)                            | SW3.5      | 1   |
| 21  | Bow Frame (Long)                                | SW3.5      | 1   |
| 22  | Link Bolt (Long)                                | SW3.5      | 1   |
| 23  | Link Bolt (Long)                                |            | 1   |
| 24  | Pressure Bolt (Short)                           |            | 1   |
| 25  | Pressure Bolt (Short)                           |            | 1   |
| 26  | Link Bolt Wrench                                |            | 1   |
| 27  | Link Bolt (Short)                               |            | 1   |
| 28  | Bow Frame (Short)                               |            | 1   |
| 29  | Wrench                                          |            | 1   |
| 30  | Main Nail Pulling Out Connecting Rod            |            | 1   |
| 31  | Main Nail Removal Rod                           |            | 1   |
| 32  | Bone Hammer                                     |            | 1   |
| 33  | Positioning Rod                                 |            | 1   |
| 34  | Positioning Rod Flat Head Drill                 |            | 1   |
| 35  | Positioning Rod Bone Drill                      |            | 1   |
| 36  | Positioning Drill Sleeve                        |            | 1   |
| 37  | Soft Tissue Separator                           |            | 1   |
| 38  | Locking Sleeve                                  |            | 1   |
| 39  | L-shaped Hexagonal Wrench                       |            | 1   |
| 40  | Link Bolts                                      |            | 1   |
| 41  | Distal Support Arm                              |            | 1   |
| 42  | Link Bolts                                      |            | 1   |
| 43  | Proximal Protective Sleeve                      |            | 1   |
| 44  | Honeycomb Guide Pin Sleeve                      |            | 1   |
| 45  | Hollow Guide (Gold Finger)                      |            | 1   |
| 46  | Proximal Opening Reamer                         |            | 1   |
| 47  | Flexible reamer                                 |            | 1   |
| 48  | Flexible reamer                                 | 9          | 1   |
| 49  | Flexible reamer                                 | 10         | 1   |
| 50  | Adapter                                         | 11         | 1   |
| 51  | Developing Template                             |            | 1   |
| 52  | Thread Guide Pin                                |            | 1   |
| 53  | Ball Head Guide Pin Measurer                    |            | 1   |
| 54  | Quick Installation T-type Wrench                |            | 1   |
| 55  | Guide Needle Holder                             |            | 1   |
| 56  | Ball Tip Guide Pin                              |            | 1   |

## Femoral Proximal Lockable Intramedullary Nail



Femoral Proximal Lockable Intramedullary Nail  
Material: titanium


| Code            | Specification         | Code            | Specification         |
|-----------------|-----------------------|-----------------|-----------------------|
| 50202-0932(L/R) | 9*320mm (Left/Right)  | 50202-1132(L/R) | 11*320mm (Left/Right) |
| 50202-0934(L/R) | 9*340mm (Left/Right)  | 50202-1134(L/R) | 11*340mm (Left/Right) |
| 50202-0936(L/R) | 9*360mm (Left/Right)  | 50202-1136(L/R) | 11*360mm (Left/Right) |
| 50202-0936(L/R) | 9*380mm (Left/Right)  | 50202-1138(L/R) | 11*380mm (Left/Right) |
| 50202-0940(L/R) | 9*400mm (Left/Right)  | 50202-1140(L/R) | 11*400mm (Left/Right) |
| 50202-0942(L/R) | 9*420mm (Left/Right)  | 50202-1142(L/R) | 11*420mm (Left/Right) |
| 50202-1032(L/R) | 10*320mm (Left/Right) | 50202-1232(L/R) | 12*320mm (Left/Right) |
|                 | 10*340mm (Left/Right) | 50202-1234(L/R) | 12*340mm (Left/Right) |
| 50202-1036(L/R) | 10*360mm (Left/Right) | 50202-1236(L/R) | 12*360mm (Left/Right) |
| 50202-1038(L/R) | 10*380mm (Left/Right) | 50202-1238(L/R) | 12*380mm (Left/Right) |
| 50202-1040(L/R) | 10*400mm (Left/Right) | 50202-1240(L/R) | 12*400mm (Left/Right) |
| 50202-1042(L/R) | 10*420mm (Left/Right) | 50202-1242(L/R) | 12*420mm (Left/Right) |



Locking Screws  
Material: titanium

| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50208-4835 | 4.8mm*35mm    | 50208-4865 | 4.8mm*65mm    |
| 50208-4840 | 4.8mm*40mm    | 50208-4870 | 4.8mm*70mm    |
| 50208-4845 | 4.8mm*45mm    | 50208-4875 | 4.8mm*75mm    |
| 50208-4850 | 4.8mm*50mm    | 50208-4880 | 4.8mm*80mm    |
| 50208-4855 | 4.8mm*55mm    | 50208-4885 | 4.8mm*85mm    |
| 50208-4860 | 4.8mm*60mm    | 50208-4890 | 4.8mm*90mm    |

## Instrument Set for Femoral and Reconstruction Intramedullary Nails



Code: 60217

| No. | Name                                          | Size           | QTY |
|-----|-----------------------------------------------|----------------|-----|
| 1   | Opening Awl                                   |                | 1   |
| 2   | Positioning Sleeve                            |                | 1   |
| 3   | Drill Sleeve                                  |                | 1   |
| 4   | Drill Sleeve                                  |                | 1   |
| 5   | Positioning Sleeve                            |                | 1   |
| 6   | Positioning T Handle Drill Bit                | 6.0mm          | 1   |
| 7   | Depth Gauge                                   |                | 1   |
| 8   | T Handle Reamer                               | 13mm           | 1   |
| 9   | Pulling Screw Combined Inserter               | SW3.5          | 1   |
| 10  | Cannulated Opening Awl                        |                | 1   |
| 11  | Positioning Sleeve                            |                | 1   |
| 12  | Inner Sleeve                                  |                | 1   |
| 13  | T Handle                                      |                | 1   |
| 14  | Drill Bit                                     | 6.0mm          | 1   |
| 15  | Drill Bit With Stopper                        | 4.0mm          | 1   |
| 16  | Drill Bit                                     | 6.0mm          | 1   |
| 17  | Reamer                                        | 8/9/10/11/12mm | 5   |
| 18  | Threaded K-Wire                               | 2.5*300mm      | 3   |
| 19  | Nail Handle                                   |                | 1   |
| 20  | Sliding Hammer Connector                      |                | 1   |
| 21  | Aming Arm With Locking Nut                    |                | 1   |
| 22  | Positioning Rod                               |                | 1   |
| 23  | L Wrench                                      | 3.0mm/5.0mm    | 2   |
| 24  | Connecting Rod For Nail Handle                |                | 1   |
| 25  | Universal Extractor                           |                | 1   |
| 26  | T Handle Screw Tap With Stopper               | 4.8mm          | 1   |
| 27  | M Block                                       |                | 1   |
| 28  | Locking Nut For Long Rod                      |                | 1   |
| 29  | K Wire                                        | 3.0*400mm      | 2   |
| 30  | Long Rod For Reconstruction Nail              |                | 1   |
| 31  | T Handle Position Rod + Hex Screwdriver 3.0mm |                | 3   |
| 32  | Sliding Hammer                                |                | 1   |
| 33  | Pin Measuring Device                          |                | 1   |
| 34  | Distal Locking Screwdriver With Threads       | SW3.5          | 1   |
| 35  | Long Rod                                      |                | 1   |
| 36  | Olives Guide Wire + Guide Wire                |                | 2   |
| 37  | Wrench                                        |                | 1   |
| 38  | Instrument Case                               |                | 1   |



## Multi-Fix Femoral Lockable Intramedullary Nail



Multi-Fix Femoral Lockable Intramedullary Nail  
Material: titanium

| Code       | Specification                  |
|------------|--------------------------------|
| 50207-0932 | 9*320mm(Izquierdo / derecho)   |
| 50207-0934 | 9*340mm(Izquierdo / derecho)   |
| 50207-0936 | 9*360mm (Izquierdo / derecho)  |
| 50207-0938 | 9*380mm (Izquierdo / derecho)  |
| 50207-0940 | 9*400mm (Izquierdo / derecho)  |
| 50207-0942 | 9*420mm (Izquierdo / derecho)  |
| 50207-1032 | 10*320mm (Izquierdo / derecho) |
| 50207-1034 | 10*340mm (Izquierdo / derecho) |
| 50207-1036 | 10*360mm (Izquierdo / derecho) |
| 50207-1038 | 10*380mm (Izquierdo / derecho) |
| 50207-1040 | 10*400mm (Izquierdo / derecho) |
| 50207-1042 | 10*420mm (Izquierdo / derecho) |

| Code       | Specification         |
|------------|-----------------------|
| 50207-1132 | 11*320mm (Left/Right) |
| 50207-1134 | 11*340mm (Left/Right) |
| 50207-1136 | 11*360mm (Left/Right) |
| 50207-1138 | 11*380mm (Left/Right) |
| 50207-1140 | 11*400mm (Left/Right) |
| 50207-1142 | 11*420mm (Left/Right) |
| 50207-1232 | 12*320mm (Left/Right) |
| 50207-1234 | 12*340mm (Left/Right) |
| 50207-1236 | 12*360mm (Left/Right) |
| 50207-1238 | 12*380mm (Left/Right) |
| 50207-1240 | 12*400mm (Left/Right) |
| 50207-1242 | 12*420mm (Left/Right) |



Pulling Screws  
Material: titanium


| Code       | Specification |
|------------|---------------|
| 50208-6070 | 6.0mm*70mm    |
| 50208-6075 | 6.0mm*75mm    |
| 50208-6080 | 6.0mm*80mm    |
| 50208-6085 | 6.0mm*85mm    |
| 50208-6090 | 6.0mm*90mm    |
| 50208-6090 | 6.0mm*95mm    |
| 50208-6000 | 6.0mm*100mm   |



Locking Screws  
Material: titanium

| Code       | Specification |
|------------|---------------|
| 50208-4835 | 4.8mm*35mm    |
| 50208-4840 | 4.8mm*40mm    |
| 50208-4845 | 4.8mm*45mm    |
| 50208-4850 | 4.8mm*50mm    |
| 50208-4855 | 4.8mm*55mm    |
| 50208-4860 | 4.8mm*60mm    |
| 50208-4865 | 4.8mm*65mm    |
| 50208-4870 | 4.8mm*70mm    |
| 50208-4875 | 4.8mm*75mm    |
| 50208-4880 | 4.8mm*80mm    |
| 50208-4885 | 4.8mm*85mm    |
| 50208-4890 | 4.8mm*90mm    |

## Instrument Set for Multi-fix Femoral Intramedullary Nails



Code: 60223

| No. | Name                          | Size                          | QTY |
|-----|-------------------------------|-------------------------------|-----|
| 1   | Handle                        |                               | 1   |
| 2   | Hammer Connector              |                               | 1   |
| 3   | Distal support                |                               | 1   |
| 4   | M block                       |                               | 1   |
| 5   | Proximal support              |                               | 1   |
| 6   | Hammer                        |                               | 1   |
| 7   | Depth gauge for 2.5mm K-wire  |                               | 1   |
| 8   | Long rod                      | 320-420mm                     | 1   |
| 9   | Right-angle Strut             |                               | 1   |
| 10  | Wrench                        | 3mm/5mm                       | 2   |
| 11  | Nail connector rod            | 255mm-375mm                   | 1   |
| 12  | Cardan Handle                 |                               | 1   |
| 13  | Screw tap                     | Φ 4.8mm                       | 2   |
| 14  | Location rod                  | Φ 6/ Φ 8mm                    | 1   |
| 15  | Ball head hex screwdriver     | SW6                           | 1   |
| 16  | Reconstructional drill sleeve | Φ 8.0/ Φ 6.0                  | 1   |
| 17  | Reconstructional drill sleeve | Φ 10.0/ Φ 8.0                 | 2   |
| 18  | Guide sleeve                  | Φ 2.5                         | 1   |
| 19  | Drill sleeve                  | Φ 8.0/ Φ 4.0                  | 1   |
| 20  | Drill sleeve                  | Φ 10.0/ Φ 8.0                 | 2   |
| 21  | Guide tap                     |                               | 1   |
| 22  | T-shaped drill bit            |                               | 1   |
| 23  | Reconstructional screw fixer  |                               | 1   |
| 24  | Wrench                        | 12mm                          | 1   |
| 25  | Cannulated awl                | Φ 4.5                         | 1   |
| 26  | Position inner drill sleeve   | Φ 8.0/ Φ 6.0                  | 1   |
| 27  | Position outer drill sleeve   | Φ 10.0/ Φ 8.0                 | 1   |
| 28  | T-shaped Hex screwdriver      | 4.5mm                         | 2   |
| 29  | Guide tap                     |                               | 1   |
| 30  | Depth gauge                   |                               | 1   |
| 31  | Drill bit                     | Φ 6*200                       | 1   |
| 32  | Drill bit                     | Φ 4*300                       | 2   |
| 33  | Combination drill bit         | Φ 6.0/ Φ 4.0                  | 1   |
| 34  | Medullary Cavity Reamer       | Φ 9.0/ Φ 10.0/ Φ 11.0/ Φ 12.0 | 4   |
| 35  | Quick handle                  |                               | 1   |
| 36  | K-wire                        | Φ 2.5*300                     | 2   |
| 37  | K-wire                        | Φ 3*300                       | 2   |
| 38  | K-wire                        | Φ 2.5*700                     | 2   |
| 39  | Box                           |                               | 1   |

## Femoral Distal Lockable Intramedullary Nail



Femoral Distal Lockable Intramedullary Nail  
Material: titanium

| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50203-0918 | 9*180mm       | 50203-1118 | 11*180mm      |
| 50203-0920 | 9*200mm       | 50203-1120 | 11*200mm      |
| 50203-0922 | 9*220mm       | 50203-1122 | 11*220mm      |
| 50203-0924 | 9*240mm       | 50203-1124 | 11*240mm      |
| 50203-0926 | 9*260mm       | 50203-1126 | 11*260mm      |
| 50203-0928 | 9*280mm       | 50203-1128 | 11*280mm      |
| 50203-0930 | 9*300mm       | 50203-1130 | 11*300mm      |
| 50203-1018 | 10*180mm      | 50203-1218 | 12*180mm      |
| 50203-1020 | 10*200mm      | 50203-1220 | 12*200mm      |
| 50203-1022 | 10*220mm      | 50203-1222 | 12*220mm      |
| 50203-1024 | 10*240mm      | 50203-1224 | 12*240mm      |
| 50203-1026 | 10*260mm      | 50203-1226 | 12*260mm      |
| 50203-1028 | 10*280mm      | 50203-1228 | 12*280mm      |
| 50203-1030 | 10*300mm      | 50203-1230 | 12*300mm      |



Locking Screws  
Material: titanium


| Code       | Specification |
|------------|---------------|
| 50208-6070 | 6.0mm*70mm    |
| 50208-6075 | 6.0mm*75mm    |
| 50208-6080 | 6.0mm*80mm    |
| 50208-6085 | 6.0mm*85mm    |
| 50208-6090 | 6.0mm*90mm    |
| 50208-6090 | 6.0mm*95mm    |
| 50208-6000 | 6.0mm*100mm   |



Locking Screws  
Material: titanium

| Code       | Specification |
|------------|---------------|
| 50208-4835 | 4.8mm*35mm    |
| 50208-4840 | 4.8mm*40mm    |
| 50208-4845 | 4.8mm*45mm    |
| 50208-4850 | 4.8mm*50mm    |
| 50208-4855 | 4.8mm*55mm    |
| 50208-4860 | 4.8mm*60mm    |
| 50208-4865 | 4.8mm*65mm    |
| 50208-4870 | 4.8mm*70mm    |
| 50208-4875 | 4.8mm*75mm    |
| 50208-4880 | 4.8mm*80mm    |
| 50208-4885 | 4.8mm*85mm    |
| 50208-4890 | 4.8mm*90mm    |

## Instrument Set for Femoral Gamma and Convert Intramedullary Nails



Code: 60218

| No. | Name                                    | Size      | QTY |
|-----|-----------------------------------------|-----------|-----|
| 1   | Opening Awl                             |           | 1   |
| 2   | Reamer                                  | 10mm      | 1   |
| 3   | Reamer                                  | 11mm      | 1   |
| 4   | Reamer                                  | 12mm      | 1   |
| 5   | Drill Bit With Stopper, Drill Bit       | 4.0mm     | 2   |
| 6   | T Handle                                |           | 1   |
| 7   | Positioning Drill Bit                   | 6.0mm     | 1   |
| 8   | Wrench                                  |           | 1   |
| 9   | T Handle Reamer                         | 13mm      | 1   |
| 10  | Depth Gauge                             | 90mm      | 1   |
| 11  | T Handle Drill Bit                      |           | 1   |
| 12  | Distal Locking Screwdriver With Threads | SW3.5     | 1   |
| 13  | Positioning Sleeve                      |           | 1   |
| 14  | Drill Sleeve                            |           | 1   |
| 15  | Positioning Sleeve                      |           | 1   |
| 16  | Cannulated Awl                          |           | 1   |
| 17  | Olives Guide Wire + Guide Wire          | 3.0*800mm | 2   |
| 18  | Long Rod                                |           | 1   |
| 19  | T Handle Positioning Rod                |           | 1   |
| 20  | Sliding Hammer                          |           | 1   |
| 21  | T Handle Screw Tap With Stopper         | 4.8mm     | 1   |
| 22  | T Handle Screw Tap With Stopper         | 6.0mm     | 1   |
| 23  | K-Wire                                  | 3.0*500mm | 2   |
| 24  | M Block                                 |           | 1   |
| 25  | Nail Connection Handle                  |           | 1   |
| 26  | Locking Nut                             |           | 1   |
| 27  | Aiming Arm With Locking Nut             |           | 1   |
| 28  | Sliding Hammer Connector                |           | 1   |
| 29  | Nail Connection Rod                     |           | 1   |
| 30  | L Wrench Hex                            | 3.0mm     | 1   |
| 31  | L Wrench Hex                            | 5.0mm     | 1   |
| 32  | Positioning Rod                         |           | 1   |
| 33  | Instrument Case                         |           | 1   |



## Standard Gamma Femoral Proximal Lockable Intramedullary Nail



Standard Gamma Femoral Proximal Lockable Intramedullary Nail  
Material: titanium

| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50204-0918 | 9*180mm       | 50204-1118 | 11*180mm      |
| 50204-0920 | 9*200mm       | 50204-1120 | 11*200mm      |
| 50204-0922 | 9*220mm       | 50204-1122 | 11*220mm      |
| 50204-0924 | 9*240mm       | 50204-1124 | 11*240mm      |
| 50204-0926 | 9*260mm       | 50204-1126 | 11*260mm      |
| 50204-0928 | 9*280mm       | 50204-1128 | 11*280mm      |
| 50204-1018 | 10*180mm      | 50204-1218 | 12*180mm      |
| 50204-1020 | 10*200mm      | 50204-1220 | 12*200mm      |
| 50204-1022 | 10*220mm      | 50204-1222 | 12*220mm      |
| 50204-1024 | 10*240mm      | 50204-1224 | 12*240mm      |
| 50204-1026 | 10*260mm      | 50204-1226 | 12*260mm      |
| 50204-1028 | 10*280mm      | 50204-1228 | 12*280mm      |




Lockable Screws  
Material: titanium

| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50208-4835 | 4.8*35mm      | 50208-6070 | 6.0*70mm      |
| 50208-4840 | 4.8*40mm      | 50208-6075 | 6.0*75mm      |
| 50208-4845 | 4.8*45mm      | 50208-6080 | 6.0*80mm      |
| 50208-4850 | 4.8*50mm      | 50208-6085 | 6.0*85mm      |
| 50208-4855 | 4.8*55mm      | 50208-6090 | 6.0*90mm      |
| 50208-4860 | 4.8*60mm      | 50208-6095 | 6.0*95mm      |
| 50208-4865 | 4.8*65mm      | 50208-6100 | 6.0*100mm     |
| 50208-4870 | 4.8*70mm      |            |               |
| 50208-4875 | 4.8*75mm      |            |               |
| 50208-4880 | 4.8*80mm      |            |               |
| 50208-4885 | 4.8*85mm      |            |               |
| 50208-4890 | 4.8*90mm      |            |               |



Pulling Screws  
Material: titanium

## Instrument Set for Femoral Gamma and Convert Intramedullary Nails



Code: 60218

| No. | Name                                    | Size      | QTY |
|-----|-----------------------------------------|-----------|-----|
| 1   | Opening Awl                             |           | 1   |
| 2   | Reamer                                  | 10mm      | 1   |
| 3   | Reamer                                  | 11mm      | 1   |
| 4   | Reamer                                  | 12mm      | 1   |
| 5   | Drill Bit With Stopper, Drill Bit       | 4.0mm     | 2   |
| 6   | T Handle                                |           | 1   |
| 7   | Positioning Drill Bit                   | 6.0mm     | 1   |
| 8   | Wrench                                  |           | 1   |
| 9   | T Handle Reamer                         | 13mm      | 1   |
| 10  | Depth Gauge                             | 90mm      | 1   |
| 11  | T Handle Drill Bit                      |           | 1   |
| 12  | Distal Locking Screwdriver With Threads | SW3.5     | 1   |
| 13  | Positioning Sleeve                      |           | 1   |
| 14  | Drill Sleeve                            |           | 1   |
| 15  | Positioning Sleeve                      |           | 1   |
| 16  | Cannulated Awl                          |           | 1   |
| 17  | Olives Guide Wire + Guide Wire          | 3.0*800mm | 2   |
| 18  | Long Rod                                |           | 1   |
| 19  | T Handle Positioning Rod                |           | 1   |
| 20  | Sliding Hammer                          |           | 1   |
| 21  | T Handle Screw Tap With Stopper         | 4.8mm     | 1   |
| 22  | T Handle Screw Tap With Stopper         | 6.0mm     | 1   |
| 23  | K-Wire                                  | 3.0*500mm | 2   |
| 24  | M Block                                 |           | 1   |
| 25  | Nail Connection Handle                  |           | 1   |
| 26  | Locking Nut                             |           | 1   |
| 27  | Aiming Arm With Locking Nut             |           | 1   |
| 28  | Sliding Hammer Connector                |           | 1   |
| 29  | Nail Connection Rod                     |           | 1   |
| 30  | L Wrench Hex                            | 3.0mm     | 1   |
| 31  | L Wrench Hex                            | 5.0mm     | 1   |
| 32  | Positioning Rod                         |           | 1   |
| 33  | Instrument Case                         |           | 1   |

## Femoral Reconstructional Lockable Intramedullary Nail



Femoral Reconstructional Lockable Intramedullary Nail  
Material: titanium

| Code            | Specification         |
|-----------------|-----------------------|
| 50205-0932(L/R) | 9*320mm (Left/Right)  |
| 50205-0934(L/R) | 9*340mm (Left/Right)  |
| 50205-0936(L/R) | 9*360mm (Left/Right)  |
| 50205-0938(L/R) | 9*380mm (Left/Right)  |
| 50205-0940(L/R) | 9*400mm (Left/Right)  |
| 50205-1032(L/R) | 10*320mm (Left/Right) |
| 50205-1034(L/R) | 10*340mm (Left/Right) |
| 50205-1036(L/R) | 10*360mm (Left/Right) |
| 50205-1038(L/R) | 10*380mm (Left/Right) |
| 50205-1040(L/R) | 10*400mm (Left/Right) |

| Code            | Specification         |
|-----------------|-----------------------|
| 50205-1132(L/R) | 11*320mm (Left/Right) |
| 50205-1134(L/R) | 11*340mm (Left/Right) |
| 50205-1136(L/R) | 11*360mm (Left/Right) |
| 50205-1138(L/R) | 11*380mm (Left/Right) |
| 50205-1140(L/R) | 11*400mm (Left/Right) |
| 50205-1232(L/R) | 12*320mm (Left/Right) |
| 50205-1234(L/R) | 12*340mm (Left/Right) |
| 50205-1236(L/R) | 12*360mm (Left/Right) |
| 50205-1238(L/R) | 12*380mm (Left/Right) |
| 50205-1240(L/R) | 12*400mm (Left/Right) |



Lockable Screws  
Material: titanium

| Code       | Specification |
|------------|---------------|
| 50208-4835 | 4.8*35mm      |
| 50208-4840 | 4.8*40mm      |
| 50208-4845 | 4.8*45mm      |
| 50208-4850 | 4.8*50mm      |
| 50208-4855 | 4.8*55mm      |
| 50208-4860 | 4.8*60mm      |
| 50208-4865 | 4.8*65mm      |
| 50208-4870 | 4.8*70mm      |
| 50208-4875 | 4.8*75mm      |
| 50208-4880 | 4.8*80mm      |
| 50208-4885 | 4.8*85mm      |
| 50208-4890 | 4.8*90mm      |



Pulling Screws  
Material: titanium

| Code       | Specification |
|------------|---------------|
| 50208-6070 | 6*70mm        |
| 50208-6075 | 6*75mm        |
| 50208-6080 | 6*80mm        |
| 50208-6085 | 6*85mm        |
| 50208-6090 | 6*90mm        |
| 50208-6095 | 6*95mm        |
| 50208-6100 | 6*100mm       |

## Instrument Set for Femoral and Reconstruction Intramedullary Nails



Code: 60217

| No. | Name                                                                    | Size           | QTY |
|-----|-------------------------------------------------------------------------|----------------|-----|
| 1   | Opening Awl                                                             |                | 1   |
| 2   | Positioning Sleeve                                                      |                | 1   |
| 3   | Drill Sleeve                                                            |                | 1   |
| 4   | Drill Sleeve                                                            |                | 1   |
| 5   | Positioning Sleeve                                                      |                | 1   |
| 6   | Positioning T Handle Drill Bit                                          | 6.0mm          | 1   |
| 7   | Depth Gauge                                                             |                | 1   |
| 8   | T Handle Reamer                                                         | 13mm           | 1   |
| 9   | Pulling Screw Combined Inserter                                         | SW3.5          | 1   |
| 10  | Cannulated Opening Awl                                                  |                | 1   |
| 11  | Positioning Sleeve                                                      |                | 1   |
| 12  | Manguito interior                                                       |                | 1   |
| 13  | Mango en T                                                              |                | 1   |
| 14  | Broca                                                                   | 6.0mm          | 1   |
| 15  | Broca con tapón                                                         | 4.0mm          | 1   |
| 16  | Broca                                                                   | 6.0mm          | 1   |
| 17  | Escariador                                                              | 8/9/10/11/12mm | 5   |
| 18  | Alambre de Kirschner roscado                                            | 2.5*300mm      | 3   |
| 19  | Mango de uñas                                                           |                | 1   |
| 20  | Conector de martillo deslizante                                         |                | 1   |
| 21  | Brazo Aming con tuerca de bloqueo                                       |                | 1   |
| 22  | Varilla de posicionamiento                                              |                | 1   |
| 23  | Llave en L                                                              | 3.0mm/5.0mm    | 2   |
| 24  | Biela para mango de clavo                                               |                | 1   |
| 25  | Extractores universales                                                 |                | 1   |
| 26  | Macho de roscar con mango en T con tapón                                | 4.8mm          | 1   |
| 27  | Bloque M                                                                |                | 1   |
| 28  | Tuerca de bloqueo para varilla larga                                    |                | 1   |
| 29  | Cable K                                                                 | 3.0*400mm      | 2   |
| 30  | Varilla larga para clavo de reconstrucción                              |                | 1   |
| 31  | Varilla de posición con mango en T + destornillador hexagonal de 3,0 mm |                | 3   |
| 32  | Martillo deslizante                                                     |                | 1   |
| 33  | Dispositivo de medición de pines                                        |                | 1   |
| 34  | Destornillador de bloqueo distal con roscas                             | SW3.5          | 1   |
| 35  | Varilla larga                                                           |                | 1   |
| 36  | Alambre Guía Aceitunas + Alambre Guía                                   |                | 2   |
| 37  | Llave inglesa                                                           |                | 1   |
| 38  | Caja de instrumentos                                                    |                | 1   |



## Humeral Self-lockable Intramedullary Nail



Humeral Self-lockable Intramedullary Nail  
Material: titanium

| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50206-7018 | 7.0*180mm     | 50206-7524 | 7.5*240mm     |
| 50206-7020 | 7.0*200mm     | 50206-7526 | 7.5*260mm     |
| 50206-7022 | 7.0*220mm     | 50206-7528 | 7.5*280mm     |
| 50206-7024 | 7.0*240mm     | 50206-8018 | 8.0*380mm     |
| 50206-7026 | 7.0*260mm     | 50206-8020 | 8.0*200mm     |
| 50206-7028 | 7.0*280mm     | 50206-8022 | 8.0*220mm     |
| 50206-7518 | 7.5*180mm     | 50206-8024 | 8.0*240mm     |
| 50206-7520 | 7.5*200mm     | 50206-8026 | 8.0*260mm     |
| 50206-7522 | 7.5*220mm     | 50206-8028 | 8.0*280mm     |



Locking Screws  
Material: titanium

| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50208-3520 | 3.5*20mm      | 50208-3534 | 3.5*34mm      |
| 50208-3522 | 3.5*22mm      | 50208-3536 | 3.5*36mm      |
| 50208-3524 | 3.5*24mm      | 50208-3538 | 3.5*38mm      |
| 50208-3526 | 3.5*26mm      | 50208-3540 | 3.5*40mm      |
| 50208-3528 | 3.5*28mm      | 50208-3545 | 3.5*45mm      |
| 50208-3530 | 3.5*30mm      | 50208-3550 | 3.5*50mm      |
| 50208-3532 | 3.5*32mm      |            |               |

## Instrument Set for Humeral Interlocking Nails



Code: 60219

| No. | Name                                       | Size  | QTY |
|-----|--------------------------------------------|-------|-----|
| 1   | Drill Sleeve                               |       | 1   |
| 2   | Drill Sleeve                               |       | 1   |
| 3   | T Handle Drill Bit                         |       | 1   |
| 4   | T Handle Screw Tap With Stopper            | 3.5mm | 1   |
| 5   | Opening Awl                                |       | 1   |
| 6   | Position Sleeve                            |       | 1   |
| 7   | Wrench                                     | 12mm  | 1   |
| 8   | L Shaped Wrench Hex                        | 3mm   | 1   |
| 9   | L Shaped Wrench Hex                        | 5mm   | 1   |
| 10  | Proximal Reamer                            | 9mm   | 1   |
| 11  | T Handle For Reamer                        |       | 1   |
| 12  | Positioning Drill Bit                      | 5.0mm | 1   |
| 13  | Depth Gauge (Drill Bit With Stopper 3.2mm) |       | 1   |
| 14  | Reamer                                     | 7mm   | 1   |
| 15  | Reamer                                     | 8mm   | 1   |
| 16  | Reamer                                     | 8.5mm | 1   |
| 17  | Reamer                                     | 9mm   | 1   |
| 18  | Nail Handle                                |       | 1   |
| 19  | U Block                                    |       | 1   |
| 20  | Nail Handle Locking Nut                    |       | 1   |
| 21  | Distal Support Arm                         |       | 1   |
| 22  | Hex Screwdriver                            | SW2.5 | 1   |
| 23  | Connec ng Handle For Handle                |       | 1   |
| 24  | MUniversal Extrac on Handle                |       | 1   |
| 25  | K Wire                                     |       | 1   |
| 26  | T Handle Posi on Rod                       |       | 1   |
| 27  | Sliding Hanmmer                            |       | 1   |
| 28  | Support Rod                                |       | 1   |
| 29  | Instrument Case                            |       | 1   |

## Humeral Interlocking Nail-Multidimensional Locking



Humeral Interlocking Nail-Multidimensional Locking  
Material: titanium

| Code             | Specification             | Code             | Specification             |
|------------------|---------------------------|------------------|---------------------------|
| 50206A-0720(L/R) | 7.0*200mm (Left or Right) | 50206A-0830(L/R) | 8.0*200mm (Left or Right) |
| 50206A-0722(L/R) | 7.0*220mm (Left or Right) | 50206A-0830(L/R) | 8.0*220mm (Left or Right) |
| 50206A-0724(L/R) | 7.0*240mm (Left or Right) | 50206A-0830(L/R) | 8.0*240mm (Left or Right) |
| 50206A-0726(L/R) | 7.0*260mm (Left or Right) | 50206A-0830(L/R) | 8.0*260mm (Left or Right) |
| 50206A-0728(L/R) | 7.0*280mm (Left or Right) | 50206A-0830(L/R) | 8.0*280mm (Left or Right) |
| 50206A-0730(L/R) | 7.0*300mm (Left or Right) | 50206A-0830(L/R) | 8.0*300mm (Left or Right) |




Multidimensional Locking Screw  
Material: titanium

| Code        | Specification | Code       | Specification |
|-------------|---------------|------------|---------------|
| 50206A-4520 | 45*20mm       | 50208-3520 | 3.5*20mm      |
| 50206A-4522 | 45*22mm       | 50208-3522 | 3.5*22mm      |
| 50206A-4524 | 45*24mm       | 50208-3524 | 3.5*24mm      |
| 50206A-4526 | 45*26mm       | 50208-3526 | 3.5*26mm      |
| 50206A-4528 | 45*28mm       | 50208-3528 | 3.5*28mm      |
| 50206A-4530 | 45*30mm       | 50208-3530 | 3.5*30mm      |
| 50206A-4532 | 45*32mm       | 50208-3532 | 3.5*32mm      |
| 50206A-4534 | 45*34mm       | 50208-3534 | 3.5*34mm      |
| 50206A-4536 | 45*36mm       | 50208-3536 | 3.5*36mm      |
| 50206A-4538 | 45*38mm       | 50208-3538 | 3.5*38mm      |
| 50206A-4540 | 45*40mm       | 50208-3540 | 3.5*40mm      |
| 50206A-4542 | 45*42mm       | 50208-3542 | 3.5*42mm      |
| 50206A-4544 | 45*44mm       | 50208-3544 | 3.5*44mm      |
| 50206A-4546 | 45*46mm       | 50208-3546 | 3.5*46mm      |
| 50206A-4548 | 45*48mm       | 50208-3548 | 3.5*48mm      |
| 50206A-4550 | 45*50mm       | 50208-3550 | 3.5*50mm      |
| 50206A-4552 | 45*52mm       | 50208-3552 | 3.5*52mm      |
| 50206A-4554 | 45*54mm       | 50208-3554 | 3.5*54mm      |
| 50206A-4556 | 45*56mm       | 50208-3556 | 3.5*56mm      |
| 50206A-4558 | 45*58mm       | 50208-3558 | 3.5*58mm      |
| 50206A-4560 | 45*60mm       | 50208-3560 | 3.5*60mm      |
|             |               | 50208-3562 | 3.5*62mm      |
|             |               | 50208-3564 | 3.5*64mm      |
|             |               | 50208-3566 | 3.5*66mm      |

## Instrument Set for Humeral Interlocking Nail

Code: 60219A



|    | Name                                                              | Size                     | QTY |
|----|-------------------------------------------------------------------|--------------------------|-----|
| 1  | Connection Bolt                                                   | M6                       | 2   |
| 2  | Peek Proximal Guide                                               |                          | 1   |
| 3  | Peek Proximal Arm                                                 |                          | 1   |
| 4  | Countersink Drill                                                 | 8mm                      | 1   |
| 5  | Bone Drill                                                        | 3mm                      | 1   |
| 6  | Depth Gauge                                                       | 90mm                     | 1   |
| 7  | Compression Bolt                                                  |                          | 2   |
| 8  | Nail Handle                                                       |                          | 1   |
| 9  | Connection Bolt                                                   |                          | 2   |
| 10 | Wrench                                                            |                          | 1   |
| 11 | Bone Hammer                                                       |                          | 1   |
| 12 | Locking/ Positioning Sleeves                                      | inner*1 middle*2 outer*2 | 5   |
| 13 | Multi-Dimension Locking Screw Handle                              |                          | 1   |
| 14 | Flexible Reamer                                                   | 7mm, 8mm, 9mm, 10mm      | 4   |
| 15 | Ball Head Guide Wire Measuring Device                             | L680                     | 1   |
| 16 | Ruler                                                             |                          | 1   |
| 17 | Guide Wire Holder                                                 |                          | 1   |
| 18 | T Handle                                                          |                          | 1   |
| 19 | Opening Awl                                                       |                          | 1   |
| 20 | Ball Head Guide                                                   |                          | 1   |
| 21 | Cannulated Trephine                                               | 10mm,11.5mm              | 2   |
| 22 | Proximal Reamer Sleeve                                            |                          | 1   |
| 23 | Adapter                                                           |                          | 1   |
| 24 | Guide Pin With Stopper                                            | 1.5*150mm                | 2   |
| 25 | Location Pin                                                      | 2.5*200mm                | 2   |
| 26 | Guide Pin                                                         | 2.5*250mm                | 2   |
| 27 | Hex Screwdriver                                                   | SW3.5                    | 1   |
| 28 | Locking Screw Depth Gauge                                         | 90mm                     | 1   |
| 29 | L Wrench Hex                                                      | 3mm, 5mm                 | 1   |
| 30 | Drill Bit With Stopper                                            | 3.8mm                    | 1   |
| 31 | Drill bit                                                         | 3mm                      | 1   |
| 32 | Locking Screw Inner Sleeve                                        | inner*1 middle*2 outer*2 | 5   |
| 33 | Drill Bit With Stopper                                            | 3mm                      | 1   |
| 34 | Locking Screw T Handle Sleeve                                     | large/ small             | 2   |
| 35 | Locking Screw T Handle Sleeve Outer Sleeve                        | large/ small             | 2   |
| 36 | Torx Screwdriver For Locking Screw                                | T15                      | 1   |
| 37 | Torque Torx Screwdriver For Locking Screw                         | T15/1.5Nm                | 1   |
| 38 | Ball Head Guide Wire                                              | 2.5*680mm                | 2   |
| 39 | Distal Supporting Arm                                             |                          | 1   |
| 40 | Quick Coupling Hex Screwdriver                                    | SW3.5                    | 1   |
| 41 | Quick Coupling Insertor/Extractor Multi-Dimensional Locking Screw |                          | 1   |
| 42 | Distal Locking Screw Screw Holder                                 |                          | 1   |
| 43 | Distal Positioning Rod                                            |                          | 1   |
| 45 | T Handle Drill Bit                                                | 3.8mm                    | 1   |
| 46 | T Shaped Handle Positioning Rod                                   |                          | 1   |
| 47 | U Shape And W Shape                                               |                          | 2   |
| 48 | End Cap Measuring Device                                          |                          | 1   |
| 49 | Distal Supporting Arm Left and right                              |                          | 1   |
| 50 | Support Arm Locking Bolt                                          |                          | 3   |



## Humeral Self-lockable Intramedullary Nail-II



Humeral Self-lockable Intramedullary Nail-II  
Material: Titanium

| Code         | Sperification | Code         | Sperification |
|--------------|---------------|--------------|---------------|
| 50206B-07120 | 7.0*120mm     | 50206B-08120 | 8.0*120mm     |
| 50206B-07160 | 7.0*160mm     | 50206B-08160 | 8.0*160mm     |
| 50206B-07180 | 7.0*180mm     | 50206B-08180 | 8.0*180mm     |
| 50206B-07200 | 7.0*200mm     | 50206B-08200 | 8.0*200mm     |
| 50206B-07220 | 7.0*220mm     | 50206B-08220 | 8.0*220mm     |
| 50206B-07240 | 7.0*240mm     | 50206B-08240 | 8.0*240mm     |
| 50206B-07260 | 7.0*260mm     | 50206B-08260 | 8.0*260mm     |
| 50206B-07280 | 7.0*280mm     | 50206B-08280 | 8.0*280mm     |



Humeral Rotation Blade  
Material: Titanium

| Code         | Sperification | Code        | Sperification |
|--------------|---------------|-------------|---------------|
| 50206A-45020 | 28mm          | 50208-35020 | 3.5*25mm      |
| 50206A-45022 | 30mm          | 50208-35022 | 3.5*30mm      |
| 50206A-45024 | 32mm          | 50208-35024 | 3.5*35mm      |
| 50206A-45026 | 34mm          | 50208-35026 | 3.5*40mm      |
| 50206A-45028 | 36mm          | 50208-35028 | 3.5*45mm      |
| 50206A-45030 | 38mm          | 50208-35030 | 3.5*50mm      |
| 50206A-45032 | 40mm          |             |               |
| 50206A-45034 | 42mm          |             |               |
| 50206A-45036 | 44mm          |             |               |
| 50206A-45038 | 46mm          |             |               |
| 50206A-45040 | 48mm          |             |               |



Locking Screws  
Material: Titanium

## Instrument Set for Humeral Self-lockable Intramedullary Nail-II



Code: 60219B

| No. | Name                           | Size              | QTY |
|-----|--------------------------------|-------------------|-----|
| 1   | Flexible Reamer                | 7mm,8mm,8.5mm,9mm | 4   |
| 2   | Rduction rod                   | 5.5mm             | 1   |
| 3   | Proximal cannulated rod        | 9.5mm             | 1   |
| 4   | Countersink awl                | 9.2mm             | 1   |
| 5   | Countersink Drill              |                   | 1   |
| 6   | Bone drill                     | 4mm               | 1   |
| 7   | Cannulated proximal opener     | 9.5mm             | 1   |
| 8   | Guide pin                      | 2.5mm             | 1   |
| 9   | Protection sleeve              |                   | 1   |
| 10  | Developing ruler               |                   | 1   |
| 11  | Guide needle holder            |                   | 1   |
| 12  | T shaped quick coupling handle |                   | 1   |
| 13  | Adapter                        |                   | 1   |
| 14  | Trocar                         | 2mm               | 1   |
| 15  | Guide pin drill sleeve         | 2mm               | 1   |
| 16  | Locking sleeve                 |                   | 1   |
| 17  | Guide Pin                      | 2mm               | 1   |
| 18  | Thread guide pin               | 2mm               | 1   |
| 19  | Depth Gauge                    | 2mm               | 1   |
| 20  | Cannulated Drill Bit           |                   | 1   |
| 21  | Blade inserter                 |                   | 1   |
| 22  | Blade connecting rod           |                   | 1   |
| 23  | Accessory box                  |                   | 1   |
| 24  | Locking screws outer sleeve    |                   | 1   |
| 25  | Drill sleeve                   |                   | 1   |
| 26  | Bone drill                     | 3mm               | 1   |
| 27  | Limiter                        | 3mm               | 1   |
| 28  | Limiter wrench                 |                   | 1   |
| 29  | Location rod                   |                   | 1   |
| 30  | Depth Gauge                    | 90mm              | 1   |
| 31  | Lock screw wrench (rod)        | SW3.5             | 1   |
| 32  | Tail cap hex handle            | SW3.5             | 1   |
| 33  | Lock screw wrench              | SW3.5             | 1   |
| 34  | Slide hammer                   |                   | 1   |
| 35  | Slide hammer guide rod         |                   | 1   |
| 36  | Combination wrench             | SW10              | 1   |
| 37  | Compression Bolt               |                   | 1   |
| 38  | Combination Bolt               |                   | 1   |
| 39  | Handle ti                      |                   | 1   |
| 40  | Auxiliary positioning rod      | 3.6mm             | 1   |
| 41  | Location block ti              |                   | 1   |
| 42  | Location rod                   |                   | 1   |
| 43  | Positioning rod bone drill     | 3.6mm             | 1   |
| 44  | Proximal drill                 | 3.6mm             | 1   |
| 45  | Location drill sleeve          | 3.6mm             | 1   |
| 46  | Trocar                         |                   | 1   |
| 47  | Distal sleeve                  |                   | 1   |
| 48  | Distal positioning frame A     |                   | 1   |
| 49  | Distal positioning frame B     |                   | 1   |
| 50  | Connect lock wheel             |                   | 1   |
| 51  | Guide rod                      |                   | 1   |
| 52  | Lock wheel wrench              |                   | 1   |
| 53  | Proximal nail guide            |                   | 1   |
| 54  | Ball-head Guide pin            | 3.3/2.0mm         | 2   |

## PFNA/ Lengthen PFNA

PFNA  
Material: titanium



| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50207-0917 | 9*170mm       | 50207-1117 | 11*170mm      |
| 50207-0920 | 9*200mm       | 50207-1120 | 11*200mm      |
| 50207-0923 | 9*235mm       | 50207-1123 | 11*235mm      |
| 50207-1017 | 10*170mm      | 50207-1217 | 12*170mm      |
| 50207-1020 | 10*200mm      | 50207-1220 | 12*200mm      |
| 50207-1023 | 10*235mm      | 50207-1235 | 12*235mm      |

Lengthen PFNA  
Material: titanium




| Code             | Specification         | Code            | Specification         |
|------------------|-----------------------|-----------------|-----------------------|
| 50207-0932(L/R)  | 9*320mm (Left/Right)  | 50207-1132(L/R) | 11*320mm (Left/Right) |
| 50207-0934(L/R)  | 9*340mm (Left/Right)  | 50207-1134(L/R) | 11*340mm (Left/Right) |
| 50207-0936(L/R ) | 9*360mm (Left/Right)  | 50207-1136(L/R) | 11*360mm (Left/Right) |
| 50207-0930(L/R)  | 9*380mm (Left/Right)  | 50207-1138(L/R) | 11*380mm (Left/Right) |
| 50207-0940(L/R)  | 9*400mm (Left/Right)  | 50207-1140(L/R) | 11*400mm (Left/Right) |
| 50207-0942(L/R)  | 9*420mm (Left/Right)  | 50207-1142(L/R) | 11*420mm (Left/Right) |
| 50207-1032(L/R)  | 10*320mm (Left/Right) | 50207-1232(L/R) | 12*320mm (Left/Right) |
| 50207-1034(L/R)  | 10*340mm (Left/Right) |                 | 12*340mm (Left/Right) |
| 50207-1036(L/R)  | 10*360mm (Left/Right) | 50207-1236(L/R) | 12*360mm (Left/Right) |
| 50207-1038(L/R)  | 10*380mm (Left/Right) | 50207-1238(L/R) | 12*380mm (Left/Right) |
| 50207-1040(L/R)  | 10*400mm (Left/Right) | 50207-1240(L/R) | 12*400mm (Left/Right) |
| 50207-1042(L/R)  | 10*420mm (Left/Right) |                 | 12*420mm (Left/Right) |



| Code       | Specification | Code       | Specification |
|------------|---------------|------------|---------------|
| 50207-1070 | 10*70mm       | 50208-4835 | 4.8mm*35mm    |
| 50207-1075 | 10*75mm       | 50208-4840 | 4.8mm*40mm    |
| 50207-1080 | 10*80mm       | 50208-4845 | 4.8mm*45mm    |
| 50207-1085 | 10*85mm       | 50208-4850 | 4.8mm*50mm    |
| 50207-1090 | 10*90mm       | 50208-4855 | 4.8mm*55mm    |
| 50207-1095 | 10*95mm       | 50208-4860 | 4.8mm*60mm    |
| 50207-1000 | 10*100mm      | 50208-4865 | 4.8mm*65mm    |
| 50207-1005 | 10*105mm      | 50208-4870 | 4.8mm*70mm    |
| 50207-1010 | 10*110mm      | 50208-4875 | 4.8mm*75mm    |
| 50207-1015 | 10*115mm      | 50208-4880 | 4.8mm*80mm    |
| 50207-1020 | 10*120mm      | 50208-4885 | 4.8mm*85mm    |
|            |               | 50208-4890 | 4.8mm*90mm    |

## Instrument Set for PFNA




Code: 60221

| No. | Name                                   | Size      | QTY |
|-----|----------------------------------------|-----------|-----|
| 1   | Guide pin                              | 2.5*450mm | 1   |
| 2   | K-wire                                 | 2.5*340mm | 2   |
| 3   | Medullary Cavity Reamer                | Φ10/11/12 | 3   |
| 4   | Drill bit with limit                   | 4.0*300mm | 1   |
| 5   | Drill bit                              |           | 1   |
| 6   | Protection sleeve                      |           | 1   |
| 7   | Location rod                           |           | 1   |
| 8   | Drill bit                              | Φ6        | 1   |
| 9   | T handle flat drill                    | Φ6        | 1   |
| 10  | Hex screwdriver                        |           | 2   |
| 11  | Right Angle location rod               |           | 1   |
| 12  | Depth gauge                            |           | 1   |
| 13  | Screw tap                              |           | 1   |
| 14  | 60° depth gauge                        |           | 1   |
| 15  | Muscle separator                       |           | 1   |
| 16  | Location sleeve                        | 60°       | 1   |
| 17  | Drill sleeve                           |           | 2   |
| 18  | Open wrench                            |           | 1   |
| 19  | Cannulated awl                         |           | 1   |
| 20  | Location drill sleeve                  |           | 1   |
| 21  | Socket screwdriver                     |           | 1   |
| 22  | Blade fixer                            | 4.8mm     | 1   |
| 23  | Extractor for PFNA blade               |           | 1   |
| 24  | Combined hammer                        |           | 1   |
| 25  | Anti-rotation target block             |           | 1   |
| 26  | Combination wrench                     |           | 1   |
| 27  | Direct measuring device for guide wire |           | 1   |
| 28  | T handle                               |           | 1   |
| 29  | T handle                               |           | 1   |
| 30  | Reamer 2                               |           | 1   |
| 31  | Reamer 1                               |           | 1   |
| 32  | Reamer 3                               |           | 1   |
| 33  | T-shaped blade inserter                |           | 1   |
| 34  | PFNA target device                     |           | 1   |
| 35  | Connecting screw for PFNA              |           | 1   |
| 36  | Hammer connector                       |           | 1   |
| 37  | Reamer location sleeve                 |           | 1   |
| 38  | Distal support                         | 240-280mm | 1   |
| 39  | Universal adapter                      |           | 1   |
| 40  | Locking blade fixer                    |           | 1   |
| 41  | U-shaped block                         |           | 1   |
| 42  | Inserter and extractor hammer          |           | 1   |
| 43  | Ball-head screwdriver                  |           | 1   |
| 44  | PFNA blade location sleeve             |           | 1   |
| 45  | Guide rod                              | 180-220mm | 1   |
| 46  | Guide rod                              | 240-280mm | 1   |
| 47  | Box                                    |           | 1   |



## Intertrochanteric Antegrade Intramedullary Nail



Intertrochanteric Antegrade Nail  
Material: titanium

| Code        | Specification |
|-------------|---------------|
| 50207A-0918 | 9.4*180mm     |
| 50207A-0920 | 9.4*200mm     |
| 50207A-0924 | 9.4*240mm     |
| 50207A-1118 | 11.5*180mm    |
| 50207A-1120 | 11.5*200mm    |
| 50207A-1124 | 11.5*240mm    |
| 50207A-1318 | 13.0*180mm    |
| 50207A-1320 | 13.0*200mm    |
| 50207A-1324 | 13.0*240mm    |



Integrated Interlocking Lag Screw  
Material: titanium

| Code        | Specification |
|-------------|---------------|
| 50207A-1165 | 11mm*65mm     |
| 50207A-1170 | 11mm*70mm     |
| 50207A-1175 | 11mm*75mm     |
| 50207A-1180 | 11mm*80mm     |
| 50207A-1185 | 11mm*85mm     |
| 50207A-1190 | 11mm*90mm     |
| 50207A-1195 | 11mm*95mm     |
| 50207A-1100 | 11mm*100mm    |
| 50207A-1105 | 11mm*105mm    |
| 50207A-1110 | 11mm*110mm    |
| 50207A-1111 | 11mm*115mm    |
| 50207A-1112 | 11mm*120mm    |



Compression Screw  
Material: titanium

| Code        | Specification |
|-------------|---------------|
| 50207A-0760 | 7mm*60mm      |
| 50207A-0765 | 7mm*65mm      |
| 50207A-0770 | 7mm*70mm      |
| 50207A-0775 | 7mm*75mm      |
| 50207A-0780 | 7mm*80mm      |
| 50207A-0785 | 7mm*85mm      |
| 50207A-0790 | 7mm*90mm      |
| 50207A-0795 | 7mm*95mm      |
| 50207A-0700 | 7mm*100mm     |
| 50207A-0705 | 7mm*105mm     |
| 50207A-0710 | 7mm*110mm     |
| 50207A-0715 | 7mm*115mm     |



Intertrochanteric Antegrade Nail  
Material: titanium

| Code             | Specification           |
|------------------|-------------------------|
| 50207A-0932(L/R) | 9.4*320mm (Left/Right)  |
| 50207A-0934(L/R) | 9.4*340mm (Left/Right)  |
| 50207A-0936(L/R) | 9.4*360mm (Left/Right)  |
| 50207A-0938(L/R) | 9.4*380mm (Left/Right)  |
| 50207A-0940(L/R) | 9.4*400mm (Left/Right)  |
| 50207A-0942(L/R) | 9.4*420mm (Left/Right)  |
| 50207A-1132(L/R) | 11.5*320mm (Left/Right) |
| 50207A-1134(L/R) | 11.5*340mm (Left/Right) |
| 50207A-1136(L/R) | 11.5*360mm (Left/Right) |
| 50207A-1138(L/R) | 11.5*380mm (Left/Right) |
| 50207A-1140(L/R) | 11.5*400mm (Left/Right) |
| 50207A-1142(L/R) | 11.5*420mm (Left/Right) |
| 50207A-1332(L/R) | 13.0*320mm (Left/Right) |
| 50207A-1334(L/R) | 13.0*340mm (Left/Right) |
| 50207A-1336(L/R) | 13.0*360mm (Left/Right) |
| 50207A-1338(L/R) | 13.0*380mm (Left/Right) |
| 50207A-1340(L/R) | 13.0*400mm (Left/Right) |
| 50207A-1342(L/R) | 13.0*420mm (Left/Right) |

Locking Screws  
Material: titanium



| Code       | Specification |
|------------|---------------|
| 50208-4835 | 4.8mm*35mm    |
| 50208-4840 | 4.8mm*40mm    |
| 50208-4845 | 4.8mm*45mm    |
| 50208-4850 | 4.8mm*50mm    |
| 50208-4855 | 4.8mm*55mm    |
| 50208-4860 | 4.8mm*60mm    |
| 50208-4865 | 4.8mm*65mm    |
| 50208-4870 | 4.8mm*70mm    |
| 50208-4875 | 4.8mm*75mm    |
| 50208-4880 | 4.8mm*80mm    |
| 50208-4885 | 4.8mm*85mm    |
| 50208-4890 | 4.8mm*90mm    |

## Instrument Set for Intertrochanteric Antegrade Nail Carbon Fiber/ Stainless Steel

Use for 180/200/240mm



Code: 60221C

| No. | Name                                                | Size                                              | QTY |
|-----|-----------------------------------------------------|---------------------------------------------------|-----|
| 1   | Instrument Box                                      | /                                                 | 1   |
| 2   | Lag Screw Tap                                       | 120mm                                             | 1   |
| 3   | Screwdriver Inner Parts                             | M 4.5 * 0.5 / $\phi$ 3.2                          | 2   |
| 4   | Screwdriver with Threaded Locking                   | SW4.5/ M5.0 Long                                  | 1   |
| 5   | Lag Screwdriver Wrench                              |                                                   | 1   |
| 6   | Alignment Tower                                     | PEEK                                              | 1   |
| 7   | Drill Sleeve Outer                                  |                                                   | 1   |
| 8   | Drill Sleeve Inner                                  |                                                   | 1   |
| 9   | Drill Sleeve Pin                                    |                                                   | 1   |
| 10  | Drill Bit with stopper                              | 4.0*300                                           | 1   |
| 11  | Drill Bit                                           | 4.0*300                                           | 2   |
| 12  | Screw Depth Gauge                                   |                                                   | 1   |
| 13  | Screwdriver with Threaded Locking                   | SW4.5/ M5.0 standard                              | 1   |
| 14  | Quick Coupling Screwdriver                          | SW4.5/ M5.0                                       | 1   |
| 15  | Universal Screwdriver                               | SW4.5                                             | 1   |
| 16  | Nail Extractor                                      |                                                   | 1   |
| 17  | Adjusting Nut                                       |                                                   | 1   |
| 18  | Stopper Wrench                                      |                                                   | 1   |
| 19  | Screwdriver with Threaded Locking                   | SW4.5/ M5.0 Long                                  | 1   |
| 20  | Connecting Bar                                      | M11*1.5/SW11"                                     | 1   |
| 21  | Lag Screw Crotex Cannulated Drill                   | $\phi$ 3.2 / $\phi$ 11 / $\phi$ 11.2              | 1   |
| 22  | Lag Screw Cannulated Drill                          | $\phi$ 3.2 / $\phi$ 11 / $\phi$ 11.2              | 1   |
| 23  | Lag Screw Length Gauge                              | 70-125mm                                          | 1   |
| 24  | Slotted Hammer                                      |                                                   | 1   |
| 25  | Drill Bit with Measure/Compression Screw Awl        | $\phi$ 7.0 / $\phi$ 8.0 / $\phi$ 7.8 / $\phi$ 8.0 | 2   |
| 26  | K- wire                                             | $\phi$ 3.2*343                                    | 5   |
| 27  | Compression Screw Position Bar                      | 65-85/90-115                                      | 2   |
| 28  | Guide Pin Drill Sleeve                              | $\phi$ 3.2 / $\phi$ 11.2                          | 1   |
| 29  | Lag Screw Drill Sleeve                              | $\phi$ 11.2 / $\phi$ 8.0                          | 1   |
| 30  | Wrench                                              | SW11                                              | 1   |
| 31  | Drill Guide Drop                                    | 125 degree PEEK                                   | 1   |
| 32  | Contacting Bolt                                     | M11*1.5/SW6.5                                     | 1   |
| 33  | Contacting Bolt                                     | M11*1.5/SW6.5                                     | 1   |
| 34  | T Handle Screwdriver/T Handle Universal Screwdriver | SW6.5/SW4.5                                       | 2   |
| 35  | Cannulated Contacting Bar                           |                                                   | 1   |
| 36  | Drill Guide Handle                                  | PEEK                                              | 1   |
| 37  | Flexible Reamer Rod                                 |                                                   | 2   |
| 38  | Reamer Heads                                        | 8.5-14mm                                          | 12  |
| 39  | Reducer                                             |                                                   | 1   |
| 40  | Entry Portal Handle                                 |                                                   | 1   |
| 41  | Entry Portal Tube                                   | $\phi$ 17.5*140                                   | 1   |
| 42  | Honeycomb                                           | $\phi$ 3.2 / $\phi$ 17.5                          | 1   |
| 43  | Tissue Protector                                    |                                                   | 1   |
| 44  | Oliver Guide                                        | $\phi$ 2.5 / $\phi$ 4.0*1000                      | 2   |
| 45  | Gripper                                             |                                                   | 1   |
| 46  | Awl                                                 |                                                   | 1   |
| 47  | Channel Reamer                                      | $\phi$ 17.5 / $\phi$ 3.2                          | 1   |
| 48  | Quick Coupling T-Handle                             |                                                   | 1   |
| 49  | Mini Connector                                      |                                                   | 1   |
| 50  | Cleaning Guide Pin                                  | $\phi$ 3.0                                        | 1   |

## Instrument Set for Intertrochanteric Antegrade Nail Stainless Steel

Use for All Sizes



Code: 60221D

| No. | Name                                  | Size                   | QTY |
|-----|---------------------------------------|------------------------|-----|
| 1   | Reduction Rod                         |                        | 1   |
| 2   | L Wrench                              | 3.0mm                  | 1   |
| 3   | L Wrench                              | 5.0mm                  | 1   |
| 4   | L Wrench                              | 8.0mm                  | 1   |
| 5   | Opening Awl                           |                        | 1   |
| 6   | Guide Wire Extractor                  |                        | 1   |
| 7   | Flexible Reamer                       | φ9, 10, 11, 12, 15, 16 | 6   |
| 8   | Drill Bit                             |                        | 1   |
| 9   | T Handle Drill Bit                    |                        | 1   |
| 10  | M Block                               |                        | 1   |
| 11  | Depth Gauge                           |                        | 1   |
| 12  | Insertor And Extractor Connecting Rod |                        | 1   |
| 13  | Quick-Coupling Handle                 | Straight               | 1   |
| 14  | Ball head screwdriver                 |                        | 1   |
| 15  | Hammer Connector                      | Universal type         | 1   |
| 16  | T Handle                              |                        | 1   |
| 17  | Adapter                               |                        | 1   |
| 18  | Locking Screw Screwdriver             |                        | 1   |
| 19  | Drill Bit With Stopper                | Limit type             | 2   |
| 20  | Extractor Connector                   |                        | 1   |
| 21  | Hammer                                | U shape                | 1   |
| 22  | Sleeve                                |                        | 2   |
| 23  | Nail Connecting Arm                   | handle type            | 1   |
| 24  | Proximal Aiming Device                | proximal type          | 1   |
| 25  | Standard Distal Aiming Device         | distal type            | 1   |
| 26  | Proximal Reamer Sleeve                | Guide cone type        | 1   |
| 27  | Pulling Screw Drill Sleeve            | Pull nail type         | 1   |
| 28  | Opening Awl                           |                        | 1   |
| 29  | Guide Sleeve                          |                        | 1   |
| 30  | Guide Pin                             | Threaded type          | 1   |
| 31  | Depth Gauge                           | proximal type          | 1   |
| 32  | Proximal Reamer                       | Positioning type       | 1   |
| 33  | Proximal Reamer                       | proximal type          | 1   |
| 34  | Reamer                                |                        | 1   |
| 35  | Reamer                                | cortical bone type     | 1   |
| 36  | Pulling Screw Screwdriver             | Pull type              | 1   |
| 37  | Anti-Slip Sleeve                      | Anti-rotation type     | 2   |
| 38  | Distal Locking Screw Screwdriver      | Pressurized type       | 1   |
| 39  | Distal Supporting Arm                 | distal type            | 1   |
| 40  | Distal Length Rod                     | Distal type I          | 1   |
| 41  | Distal Supporting Arm                 |                        | 1   |
| 42  | Distal Length Rod                     | Long rod type          | 1   |
| 43  | Distal Length Rod                     | Long rod type          | 1   |

## Elastic Nail

Elastic Nail  
Material: titanium



| Code       | Specification |
|------------|---------------|
| 50209-1544 | 1.5mm*440mm   |
| 50209-2044 | 2.0mm*440mm   |
| 50209-2544 | 2.5mm*440mm   |
| 50209-3044 | 3.0mm*440mm   |
| 50209-4044 | 4.0mm*440mm   |

## Instrument Set for Elastic Nails




Code: 60225

| No.   | Name                    | Size | QTY |
|-------|-------------------------|------|-----|
| 1     | Holding Forceps         |      | 1   |
| 3     | Opener                  |      | 1   |
| 2 + 4 | Bar Breaking Apparatus  |      | 1   |
| 5     | Slide Hammer            |      | 1   |
| 6     | Beating Puller          |      | 1   |
| 7     | Chunk Wrench            |      | 1   |
| 8     | Self Locking Spanner    |      | 1   |
| 9     | Bender                  |      | 1   |
| 10    | Bender                  |      | 1   |
| 11    | Nail Impactor           |      | 1   |
| 12    | Nail Impactor           |      | 1   |
| 13    | Combination Drill Guide |      | 1   |
| 14    | Drill Bit               |      | 2   |
| 15    | Drill Bit               |      | 2   |
| 16    | Drill Bit               |      | 2   |
| 17    | Bender                  |      | 1   |
| 18    | Bender                  |      | 1   |
| 19    | Instrument Case         |      | 1   |



## Instrument Set for Intramedullary Nail Remove (Complete set)



Code: 60226

| No. | Name                                       | Size  | QTY |
|-----|--------------------------------------------|-------|-----|
| 1   | Blade extractor                            |       | 1   |
| 2   | Anti-slip extractor                        | SW4.0 | 1   |
| 3   | Anti-slip extractor                        | SW3.5 | 1   |
| 4   | Anti-slip extractor                        | SW2.5 | 1   |
| 5   | Hex Screwdriver                            | SW2.5 | 1   |
| 6   | Hex Screwdriver                            | SW3.0 | 1   |
| 7   | Hex Screwdriver                            | SW3.5 | 1   |
| 8   | Hex Screwdriver                            | SW4.0 | 1   |
| 9   | Hex Screwdriver                            | SW4.5 | 1   |
| 10  | Hex Screwdriver                            | SW5.0 | 1   |
| 11  | Torx screwdriver                           | T18   | 1   |
| 12  | Torx screwdriver                           | T20   | 1   |
| 13  | Torx screwdriver                           | T25   | 1   |
| 14  | Slotted Screwdriver                        |       | 1   |
| 15  | Hex Screwdriver                            | SW7.0 | 1   |
| 16  | Hex Screwdriver                            | SW8.0 | 1   |
| 17  | Wrench                                     |       | 1   |
| 18  | L Wrench                                   |       | 1   |
| 19  | Connected rod                              | 13    | 1   |
| 20  | Connected rod                              | 12    | 1   |
| 21  | Connected rod                              | 11    | 1   |
| 22  | Connected rod                              | 10    | 1   |
| 23  | Connected rod                              | 9     | 1   |
| 24  | Connected rod                              | 8     | 1   |
| 25  | Connected rod                              | 7     | 1   |
| 26  | Connected rod                              | 6     | 1   |
| 27  | Connected rod                              | 5     | 1   |
| 28  | Connected rod                              | 4     | 1   |
| 29  | Connected rod                              | 3     | 1   |
| 30  | Connected rod                              | 2     | 1   |
| 31  | Connected rod                              | 1     | 1   |
| 32  | Taper connected rod                        | 3     | 1   |
| 33  | Taper connected rod                        | 2     | 1   |
| 34  | Taper connected rod                        | 1     | 1   |
| 35  | Drill bit                                  | 6mm   | 1   |
| 36  | Drill bit                                  | 5mm   | 1   |
| 37  | Drill bit                                  | 4mm   | 1   |
| 38  | Connected holder                           |       | 1   |
| 39  | Bone knife                                 |       | 1   |
| 40  | PFNA balde screwdriver                     |       | 1   |
| 41  | Insertor and extractorhammer connected rod |       | 1   |
| 42  | Cannulated anti-slip extractor             |       | 1   |
| 43  | Universal hex screwdriver                  |       | 1   |
| 44  | Hammer                                     |       | 1   |
| 45  | Power remove forcep                        |       | 1   |
| 46  | T handle                                   |       | 1   |
| 47  | Instrument box                             |       | 1   |

## Instrument Set for Intramedullary Nail Remove (Simple set)



Code: 60227

| No. | Name                                       | Size  | QTY |
|-----|--------------------------------------------|-------|-----|
| 1   | Taper connected rod                        | 1     | 1   |
| 2   | Taper connected rod                        | 2     | 1   |
| 3   | Taper connected rod                        | 3     | 1   |
| 4   | Connected rod                              | 1     | 1   |
| 5   | Connected rod                              | 2     | 1   |
| 6   | Connected rod                              | 3     | 1   |
| 7   | Connected rod                              | 4     | 1   |
| 8   | Connected rod                              | 5     | 1   |
| 9   | Connected rod                              | 6     | 1   |
| 10  | Connected rod                              | 7     | 1   |
| 11  | Connected rod                              | 8     | 1   |
| 12  | Connected rod                              | 9     | 1   |
| 13  | Connected rod                              | 10    | 1   |
| 14  | Connected rod                              | 11    | 1   |
| 15  | Connected rod                              | 12    | 1   |
| 16  | Connected rod                              | 13    | 1   |
| 17  | L wrench                                   |       | 1   |
| 18  | L wrench                                   |       | 1   |
| 19  | Wrench                                     |       | 1   |
| 20  | Insertor and extractorhammer connected rod |       | 1   |
| 21  | PFNA balde screwdriver                     |       | 1   |
| 22  | PFNA balde screwdriver                     | T30   | 1   |
| 23  | Hex Screwdriver                            | T25   | 1   |
| 24  | Hex Screwdriver                            | SW8.0 | 1   |
| 25  | Hex Screwdriver                            | SW7.0 | 1   |
| 26  | Hex Screwdriver                            | SW5.0 | 1   |
| 27  | Hex Screwdriver                            | SW4.0 | 1   |
| 28  | Hex Screwdriver                            | SW3.5 | 1   |
| 29  | Hex Screwdriver                            | SW3.0 | 1   |
| 30  | Hex Screwdriver                            | SW2.5 | 1   |
| 31  | Blade extractor                            |       | 1   |
| 32  | Hammer                                     |       | 1   |
| 33  | T-shaped Quick Coupling Handle             |       | 1   |
| 34  | Connected holder                           |       | 1   |
| 35  | Instrument box                             |       | 1   |

## Basic tools for intramedullary nails



Name: Punch



Name: reamer



Name: Flexible Reamer



Name: Guide Pin



Name: Screwdriver



Name: Inserter



Name: screw

## Hole saw system

### N Series Power Tools

Multifunctional Hole Saw System  
Code: NA001

| NO. | Name                                | QTY |
|-----|-------------------------------------|-----|
| 1   | Hand piece                          | 1   |
| 2   | Battery                             | 2   |
| 3   | Charger                             | 1   |
| 4   | Sterilizing Channel                 | 2   |
| 5   | Bone Drill Attachment               | 1   |
| 6   | AO Bone Drill Attachment            | 1   |
| 7   | Cannulated Drill Attachment         | 1   |
| 8   | Cannulated Drill Attachment         | 1   |
| 9   | K Wire Attachment                   | 1   |
| 10  | Acetabular Reaming Drill Attachment | 1   |
| 11  | Oscillating Saw Attachment          | 1   |
| 12  | Reciprocating Saw Attachment        | 1   |
| 13  | Sternum Saw Attachment              | 1   |
| 14  | Cranial Drill Attachment            | 1   |
| 15  | Cranial Mill Attachment             | 1   |
| 16  | TPLO Attachment                     | 1   |
| 17  | TPLO Attachment Saw Blade           | 1   |



Bone Drill  
Code: NB001

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |



Cannulated Drill  
Code: NB002

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |



Oscillating Saw  
Code: NB003

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Hoja de sierra      | 5   |



High Torque Acetabular Reamer Drill  
Code: NB004

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |





## N-Series Power Tools

Reciprocating Saw  
Code: NB005

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Saw Blade           | 5   |



Sternum Saw  
Code: NB006

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Saw Blade           | 5   |



TPLO Saw  
Code: NB007

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Saw Blade           | 5   |



Autopsy Saw  
Code: NB008

| NO. | Name                 | QTY |
|-----|----------------------|-----|
| 1   | Power Source Console | 1   |
| 2   | Hand-Piece           | 1   |
| 3   | Saw Blade            | 3   |



Plaster Saw  
Code: NB009

| NO. | Name        | QTY |
|-----|-------------|-----|
| 1   | Control Box | 1   |
| 2   | Saw Blade   | 3   |



Micro medical electric spine drill  
Code: NB010

| NO. | Name          | QTY |
|-----|---------------|-----|
| 1   | Pieza de mano | 1   |
| 2   | Bit           | 10  |
| 3   | Manejar       | 2   |
| 4   | Handle        | 1   |
| 5   | Saw Blade     | 1   |



## M Series Power Tools

Multifunctional Drill Saw System  
Code: MA001

| NO. | Name                          | QTY |
|-----|-------------------------------|-----|
| 1   | Hand-Piece                    | 1   |
| 2   | Battery                       | 2   |
| 3   | Charger                       | 1   |
| 4   | Sterilizing Channel           | 2   |
| 5   | Bone Drill Attachment         | 1   |
| 6   | AO Bone Drill Attachment      | 1   |
| 7   | Cannulated Drill Attachment   | 1   |
| 8   | Cannulated Drill Attachment   | 1   |
| 9   | K Wire Attachment             | 1   |
| 10  | Acetabular Reaming Attachment | 1   |
| 11  | Oscillating Saw Attachment    | 1   |
| 12  | Reciprocating Saw Attachment  | 1   |
| 13  | Sternum Saw Attachment        | 1   |
| 14  | Cranial Drill Attachment      | 1   |
| 15  | Cranial Mill Attachment       | 1   |
| 16  | TPLO Attachment               | 1   |
| 17  | TPLO Attachment Saw Blade     | 1   |



Drill  
Code: MB001

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |



Cannulated Drill  
Code: MB002

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |



Oscillating Saw  
Code: MB003

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Saw Blade           | 5   |



High Torgue Acetabular Reamer Drill  
Code: MB004

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |



## M Series Power Tools

Craniotomy Drill  
Code: MB005

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Drill Bit           | 1   |

Reciprocating Saw  
Code: MB006

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Saw Blade           | 2   |

Sternum Saw  
Code: MB007

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Pieza de mano       | 1   |
| 2   | Batería             | 2   |
| 3   | Cargador            | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Saw Blade           | 2   |

## Microherramientas eléctricas

Micro Multifunctional Drill Saw System  
Code: NC001

| NO. | Name                     | QTY |
|-----|--------------------------|-----|
| 1   | Hand-Piece               | 1   |
| 2   | Battery                  | 2   |
| 3   | Charger                  | 1   |
| 4   | Sterilizing Channel      | 2   |
| 5   | Bone Drill Attachment    | 1   |
| 6   | AO Bone Drill Attachment | 1   |
| 7   | K Wire Attachment        | 1   |
| 8   | Sagittal Saw Attachment  | 1   |

Micro Bone Drill  
Code: ND001

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |

Micro Cannulated Drill  
Code: ND002

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |



## Micro power tools

Micro Oscillating Saw  
Code: ND003

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Saw Blade           | 5   |



Brushless Micro Multifunctional Drill Saw System  
Code: MC001

| NO. | Name                     | QTY |
|-----|--------------------------|-----|
| 1   | Hand-Piece               | 1   |
| 2   | Battery                  | 2   |
| 3   | Charger                  | 1   |
| 4   | Sterilizing Channel      | 2   |
| 5   | Bone Drill Attachment    | 1   |
| 6   | AO Bone Drill Attachment | 1   |
| 7   | K Wire Attachment        | 1   |
| 8   | Sagittal Saw Attachment  | 1   |



Brushless Micro Cannulated Drill  
Code: MD001

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |



Brushless Micro Oscillating Saw  
Code: MD002

| NO. | Name                | QTY |
|-----|---------------------|-----|
| 1   | Hand-Piece          | 1   |
| 2   | Battery             | 2   |
| 3   | Charger             | 1   |
| 4   | Sterilizing Channel | 2   |
| 5   | Saw Blade           | 5   |



## Herramientas eléctricas serie S

Brushless Multifunctional Drill  
Code: SA001

| NO. | Name                          | QTY |
|-----|-------------------------------|-----|
| 1   | Hand-Piece                    | 1   |
| 2   | Battery                       | 2   |
| 3   | Battery Sterilizing Box       | 2   |
| 4   | Charger                       | 1   |
| 5   | Sterilizing Channel           | 2   |
| 6   | Bone Drill Attachment         | 1   |
| 7   | Stryker Bone Drill Attachment | 1   |
| 8   | AO Bone Drill Attachment      | 1   |
| 9   | Kirschner Wire Drill          | 1   |
| 10  | Acetabular Reaming Attachment | 1   |



## S Series Power Tools

Oscillating Saw  
Code: SB001

| NO. | Name                      | QTY |
|-----|---------------------------|-----|
| 1   | Hand-Piece                | 1   |
| 2   | Battery                   | 2   |
| 3   | Battery Sterilization Box | 2   |
| 4   | Charger                   | 1   |
| 5   | Sterilizing Channel       | 2   |
| 6   | Saw Blade                 | 5   |



Reciprocating Saw  
Code: SB002

| NO. | Name                      | QTY |
|-----|---------------------------|-----|
| 1   | Hand-Piece                | 1   |
| 2   | Battery                   | 2   |
| 3   | Battery Sterilization Box | 2   |
| 4   | Charger                   | 1   |
| 5   | Sterilizing Channel       | 2   |
| 6   | Saw Blade                 | 2   |



Sternum Saw  
Code: SB003

| NO. | Name                      | QTY |
|-----|---------------------------|-----|
| 1   | Hand-Piece                | 1   |
| 2   | Battery                   | 2   |
| 3   | Battery Sterilization Box | 2   |
| 4   | Charger                   | 1   |
| 5   | Sterilizing Channel       | 2   |
| 6   | Saw Blade                 | 2   |



## E-Series Power Tools

Brushless Multifunctional Drill  
Code: EA001

| NO. | Name                          | QTY |
|-----|-------------------------------|-----|
| 1   | Hand-Piece                    | 1   |
| 2   | Battery                       | 2   |
| 3   | Battery Sterilization Box     | 2   |
| 4   | Charger                       | 1   |
| 5   | Sterilizing Channel           | 2   |
| 6   | Bone Drill Attachment         | 1   |
| 7   | Stryker Bone Drill Attachment | 1   |
| 8   | AO Bone Drill Attachment      | 1   |
| 9   | Kirschner Wire Drill          | 1   |
| 10  | Acetabular Reaming Attachment | 1   |



Oscillating Saw  
Code: EB001

| NO. | Name                      | QTY |
|-----|---------------------------|-----|
| 1   | Hand-Piece                | 1   |
| 2   | Battery                   | 2   |
| 3   | Battery Sterilization Box | 2   |
| 4   | Charger                   | 1   |
| 5   | Sterilizing Channel       | 2   |
| 6   | Saw Blade                 | 5   |



## E-Series Power Tools

Reciprocating Saw  
Code: EB002

| NO. | Name                      | QTY |
|-----|---------------------------|-----|
| 1   | Hand-Piece                | 1   |
| 2   | Battery                   | 2   |
| 3   | Battery Sterilization Box | 2   |
| 4   | Charger                   | 1   |
| 5   | Sterilizing Channel       | 2   |
| 6   | Saw Blade                 | 2   |




Sternum Saw  
Code: EB003

| NO. | Name                      | QTY |
|-----|---------------------------|-----|
| 1   | Hand-Piece                | 1   |
| 2   | Battery                   | 2   |
| 3   | Battery Sterilization Box | 2   |
| 4   | Charger                   | 1   |
| 5   | Sterilizing Channel       | 2   |
| 6   | Saw Blade                 | 2   |




## Power Tools Sterilization Box



Sterilization Box For S-Series  
Code: BA001




Sterilization Box For E-Series  
Code: BA002




Sterilization Box For M-Series  
Code: BA003



Sterilization Box For M-Series Full Set  
Code: BA004



Sterilization Box For N-Series  
Code: BA005



Sterilization box for Micro M series  
Code: BA006



## Power Tool Sterilization Box



Sterilization Box For TPLO Saw  
Code: BA006



Sterilization Box For Acetabular Cup  
Code: BA007



Sterilization Box For Flexible Reamers  
Code: BA008

## Batteries



Battery 14.4V N Series  
Code: BB001



Battery 7.2V N Series  
Code: BB002



Battery 14.4V M Series  
Code: BB003



Battery 14.8V Lithium Battery  
Code: BB004



Battery 7.4V Lithium Battery  
Code: BB005



Battery 7.4V TPLO Saw  
Code: BB006



Battery S Series  
Code: BB007



Battery E14.8V Lithium Battery  
Code: BB008



Battery Box S Series  
Code: BB009



Battery Box E Series  
Code: BB010

## Saw blade






Code: BC001

| NO. | Length Width (mm) | Thickness(mm)    |
|-----|-------------------|------------------|
| 1   | 90*24             | 0.8/1.0/1.2/1.27 |
| 2   | 90*22             | 0.8/1.0/1.2/1.27 |
| 3   | 90*19             | 0.8/1.0/1.2/1.27 |
| 4   | 90*13             | 0.8/1.0/1.2/1.27 |

| NO. | Length Width (mm) | Thickness(mm) |
|-----|-------------------|---------------|
| 1   | 70*24             | 0.8/1.0/1.2   |
| 2   | 70*22             | 0.8           |
| 3   | 70*19             | 1.27          |
| 4   | 70*13             | 1.0           |

Code: BC001

| NO. | Length Width (mm) | Thickness(mm) |
|-----|-------------------|---------------|
| 1   | 22*8              | 0.3/0.5       |
| 2   | 22*12             | 0.3/0.5       |
| 3   | 22*15             | 0.5           |
| 4   | 25*5.5            | 0.5           |
| 5   | 25*9.5            | 0.5           |
| 6   | 29.5*7            | 0.5           |
| 7   | 31*9.5            | 0.5           |
| 8   | 40*5              | 0.5           |
| 9   | 40*15             | 0.5           |
| 10  | 39*13             | 0.5           |
| 11  | 50*14             | 0.5           |



## 骨科手术器械包 Orthopedic Instrument Sets

